



Fosbel[®]

CERAMIC TECHNOLOGIES

Customer: Glass Manufacturer Inc.

Technician: Name

Date of Inspection: 0-00-0000

Summary: Glass Manufacturer Inc. - Furnace B - Melter Crown and Regenerator Crown


[Report Preparer's Name]



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Right Side




File name	FLIR0141.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	390.8 °F
Sp2 Temperature	393.9 °F
Sp3 Temperature	398.4 °F
Sp4 Temperature	393.3 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Right Side




File name	FLIR0142.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	428.6 °F
Sp2 Temperature	406.2 °F
Sp3 Temperature	436.9 °F
Sp4 Temperature	350.4 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Right Side




File name	FLIR0143.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	517.7 °F
Sp2 Temperature	329.2 °F
Sp3 Temperature	273.4 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Right Side




File name	FLIR0144.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	472.2 °F
Sp2 Temperature	334.4 °F
Sp3 Temperature	328.8 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Right Side




File name	FLIR0145.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	613.8 °F
Sp2 Temperature	404.6 °F
Sp3 Temperature	312.3 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Regenerator Crown




File name	FLIR0149.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	489.1 °F
Sp2 Temperature	436.0 °F
Sp3 Temperature	417.3 °F
Sp4 Temperature	403.1 °F
Sp5 Temperature	330.9 °F



Fosbel[®]

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Regenerator Crown




File name	FLIR0150.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	807.8 °F
Sp2 Temperature	707.6 °F
Sp3 Temperature	414.6 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Regenerator Crown




File name	FLIR0151.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	487.0 °F
Sp2 Temperature	478.5 °F
Sp3 Temperature	431.4 °F
Sp4 Temperature	314.6 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Regenerator Crown




File name	FLIR0152.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	755.3 °F
Sp2 Temperature	422.1 °F
Sp3 Temperature	398.9 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Regenerator Crown




File name	FLIR0153.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	1029.6 °F
Sp2 Temperature	905.4 °F
Sp3 Temperature	691.6 °F
Sp4 Temperature	437.8 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Left Side




File name	FLIR0155.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	506.0 °F
Sp2 Temperature	373.8 °F
Sp3 Temperature	364.0 °F



Fosbel[®]

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Left Side




File name	FLIR0156.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	373.1 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Left Side




File name	FLIR0157.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	369.4 °F
Sp2 Temperature	356.0 °F
Sp3 Temperature	172.0 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Left Side




File name	FLIR0158.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	411.4 °F
Sp2 Temperature	383.0 °F
Sp3 Temperature	375.7 °F
Sp4 Temperature	385.8 °F



Fosbel[®]

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Left Side




File name	FLIR0159.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	413.5 °F
Sp2 Temperature	389.0 °F
Sp3 Temperature	494.3 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Left Side




File name	FLIR0160.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	425.9 °F
Sp2 Temperature	398.3 °F
Sp3 Temperature	420.8 °F
Sp4 Temperature	149.2 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Left Side




File name	FLIR0161.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	510.7 °F
Sp2 Temperature	393.1 °F
Sp3 Temperature	388.3 °F
Sp4 Temperature	369.2 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Left Side




File name	FLIR0162.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	560.4 °F
Sp2 Temperature	363.5 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter- Crown- Left Side



File name	FLIR0163.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	572.6 °F
Sp2 Temperature	591.6 °F
Sp3 Temperature	342.2 °F