



Fosbel[®]

CERAMIC TECHNOLOGIES

Customer: Glass Manufacturer Inc.

Technician: Name

Date of Inspection: 0-00-0000

Summary: Glass Manufacturer Inc. - Furnace B- Melter Bottom


[Report Preparer's Name] Matt Cortelli



Fosbel[®]

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0165.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	444.6 °F
Sp2 Temperature	373.6 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0166.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	576.4 °F
Sp2 Temperature	552.5 °F
Sp3 Temperature	513.7 °F



Fosbel[®]

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0167.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	590.4 °F
Sp2 Temperature	455.5 °F
Sp3 Temperature	442.7 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0168.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	484.1 °F
Sp2 Temperature	479.4 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0169.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	522.9 °F
Sp2 Temperature	510.1 °F
Sp3 Temperature	530.8 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0170.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	512.5 °F
Sp2 Temperature	502.8 °F
Sp3 Temperature	504.7 °F



Fosbel[®]

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0171.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	489.7 °F
Sp2 Temperature	471.0 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0172.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	649.7 °F
Sp2 Temperature	736.9 °F
Sp3 Temperature	484.8 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0173.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	525.0 °F
Sp2 Temperature	503.1 °F
Sp3 Temperature	488.4 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0174.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	486.2 °F
Sp2 Temperature	475.4 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom




File name	FLIR0175.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	473.7 °F
Sp2 Temperature	440.7 °F



Fosbel®

CERAMIC TECHNOLOGIES

Customer	Glass Manufacturer Inc.
Furnace Location	Melter Bottom



File name	FLIR0176.jpg
Atmospheric Temperature	68.0 °F
Sp1 Temperature	545.6 °F
Sp2 Temperature	557.9 °F
Sp3 Temperature	489.9 °F